CERTIFICATE OF COMPLIANCE

Certificate Number E522808

Report Reference E522808-2021-06-15

Issue Date 2021-JUNE-15

Issued to: JSC BALTLED

Moletu rd. 71.

Vilnius, LT-14259, Lithuania

This certificate confirms that representative samples of

SIGN ACCESSORIES - COMPONENT
See Addendum page for Models/Product

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 879 - Electric Sign Components

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number E522808

Report Reference E522808-2021-06-15

Issue Date 2021-JUNE-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Modules

BLSP-LEXXXYYYZMM-NN(!)

(!) - "XXX" indicates LED qty, each X can be 0-9 or A-Z or blank; "YYY" indicates LED CRI and LED Color and Color Temperature, each Y can be 0-9 or A-Z or blank; "Z" indicates IP rating, Z can be 0-9 or A-Z or blank; "MM" power output each M can be 0-9 or A-Z or blank "NN" indicates commercial use, each N can be 0-9 or A-Z or blank; The hyphen notation may optionally be blank.

BMP-S0-O1UH160XXXXZ-YY(b1), BMP-S1-O2UH160XXXXZ-YY(b1), BMP-S2-O2UH160XXXXZ-YY(b1), BMP-S3-O3UH160XXXXZ-YY(b1), BMP-S4-O4UH160XXXXZ-YY(b1)

(b1) - "XXXX" indicates LED Color and Color Temperature, each X can be 0-9 or A-Z or blank; "Z" indicates Color Bin, Z can be 0-9 or A-Z or blank; "YY" indicates commercial use, each Y can be be 0-9 or A-Z or blank; The hyphen notation may optionally be blank.

BMP-S0-O1UH160XXXXZ-24V-YY(b2), BMP-S1-O2UH160XXXXZ-24V-YY(b2), BMP-S2-O2UH160XXXXZ-24V-YY(b2), BMP-S3-O3UH160XXXXZ-24V-YY(b2), BMP-S4-O4UH160XXXXZ-24V-YY(b2)

(b2) - "XXXX" indicates LED Color and Color Temperature, each X can be A-Z or 0-9 or blank; "Z" indicates Color Bin, Z can be 0-9 or A-Z or blank; "YY" indicates commercial use, each Y can be be 0-9 or A-Z or blank; The hyphen notation may optionally be blank.

BMP-W3-DSXXXZFF-YY(b3), BMS-S12-O2UB120W1

(b3) - "XXX" indicates LED Color Temperature and LED CRI, each X can be A-Z or 0-9 or blank; "Z" indicates IP class Z can be 0-9 or A-Z or blank, number can have decimal point; "FF" indicates power output, can be 0-9 or A-Z or blank; "YY" indicates commercial use, each Y can be 0-9 or A-Z or blank; The hyphen notation may optionally be blank.



Bruce Mahrenholz, Director North American Certification Program

UL LLC



